4160-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2016-N-2544]

Agency Information Collection Activities; Submission for Office of Management and Budget Review; Comment Request; Medical Device: Current Good Manufacturing Practice Quality System Regulations

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA) is announcing that a proposed collection of information has been submitted to the Office of Management and Budget (OMB) for review and clearance under the Paperwork Reduction Act of 1995.

DATES: Fax written comments on the collection of information by [INSERT DATE 30 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

ADDRESSES: To ensure that comments on the information collection are received, OMB recommends that written comments be faxed to the Office of Information and Regulatory Affairs, OMB, Attn: FDA Desk Officer, FAX: 202-395-7285, or emailed to oira_submission@omb.eop.gov. All comments should be identified with the OMB control number 0910-0073. Also include the FDA docket number found in brackets in the heading of this document.

FOR FURTHER INFORMATION CONTACT: FDA PRA Staff, Office of Operations, Food and Drug Administration, Three White Flint North, 10A63, 11601 Landsdown St., North Bethesda, MD 20852, PRAStaff@fda.hhs.gov.

SUPPLEMENTARY INFORMATION: In compliance with 44 U.S.C. 3507, FDA has submitted the following proposed collection of information to OMB for review and clearance.

Medical Device: Current Good Manufacturing Practice Quality System Regulations-OMB Control Number 0910-0073--Extension

Under section 520(f) of the Federal Food, Drug, and Cosmetic Act (the FD&C Act) (21 U.S.C. 360j(f)), the Secretary of the Department of Health and Human Services has the authority to prescribe regulations requiring that the methods used in, and the facilities and controls used for, the manufacture, preproduction design validation (including a process to assess the performance of a device, but not including an evaluation of the safety and effectiveness of a device), packing, storage, and installation of a device conform to Current Good Manufacturing Practice (CGMP), as described in such regulations, to assure that the device will be safe and effective and otherwise in compliance with the FD&C Act.

The CGMP/Quality System (QS) regulation implementing authority provided by this statutory provision is found under part 820 (21 CFR part 820) and sets forth basic CGMP requirements governing the design, manufacture, packing, labeling, storage, installation, and servicing of all finished medical devices intended for human use. The authority for this regulation is covered under sections 501, 502, 510, 513, 514, 515, 518, 519, 520, 522, 701, 704, 801, and 803 of the FD&C Act (21 U.S.C. 351, 352, 360, 360c, 360d, 360e, 360h, 360i, 360j, 360l, 371, 374, 381, and 383). The CGMP/QS regulation includes requirements for purchasing and service controls, clarifies recordkeeping requirements for device failure and complaint investigations, clarifies requirements for verifying/validating production processes and process or product changes, and clarifies requirements for product acceptance activities quality data evaluations and corrections of nonconforming product/quality problems.

Requirements are compatible with specifications in the international standards "ISO 9001: Quality Systems Model for Quality Assurance in Design/Development, Production, Installation, and Servicing." The CGMP/QS information collections will assist FDA inspections of manufacturers for compliance with QS requirements encompassing design, production, installation, and servicing processes.

Section 820.20(a) through (e) requires management with executive responsibility to establish, maintain, and/or review the following topics: (1) The quality policy, (2) the organizational structure, (3) the quality plan, and (4) the quality system procedures of the organization. Section 820.22 requires the conduct and documentation of QS audits and re-audits. Section 820.25(b) requires the establishment of procedures to identify training needs and documentation of such training.

Section 820.30(a)(1) and (b) through (j) requires, in respective order, the establishment, maintenance, and/or documentation of the following topics: (1) Procedures to control design of class III and class II devices and certain class I devices as listed therein; (2) plans for design and development activities and updates; (3) procedures identifying, documenting, and approving design input requirements; (4) procedures defining design output, including acceptance criteria, and documentation of approved records; (5) procedures for formal review of design results and documentation of results in the design history file (DHF); (6) procedures for verifying device design and documentation of results and approvals in the DHF; (7) procedures for validating device design, including documentation of results in the DHF; (8) procedures for translating device design into production specifications; (9) procedures for documenting, verifying, and validating approved design changes before implementation of changes; and (10) the records and references constituting the DHF for each type of device.

Section 820.40 requires manufacturers to establish and maintain procedures controlling approval and distribution of required documents and document changes. Section 820.40(a) and (b) requires the establishment and maintenance of procedures for the review, approval, issuance, and documentation of required records (documents) and changes to those records.

Section 820.50(a) and (b) requires the establishment and maintenance of procedures and requirements to ensure service and product quality, records of acceptable suppliers, and purchasing data describing specified requirements for products and services.

Sections 820.60 and 820.65 require, respectively, the establishment and maintenance of procedures for identifying all products from receipt to distribution and for using control numbers to track surgical implants and life-sustaining or supporting devices and their components.

Section 820.70(a) through (e), (g)(1) through (g)(3), (h), and (i) requires the establishment, maintenance, and/or documentation of the following topics: (1) Process control procedures; (2) procedures for verifying or validating changes to specification, method, process, or procedure; (3) procedures to control environmental conditions and inspection result records; (4) requirements for personnel hygiene; (5) procedures for preventing contamination of equipment and products; (6) equipment adjustment, cleaning, and maintenance schedules; (7) equipment inspection records; (8) equipment tolerance postings, procedures for utilizing manufacturing materials expected to have an adverse effect on product quality; and (9) validation protocols and validation records for computer software and software changes.

Sections 820.72(a), (b)(1), and (b)(2); and 820.75(a) through (c) require, respectively, the establishment, maintenance, and/or documentation of the following topics: (1) Equipment calibration and inspection procedures; (2) national, international, or in-house calibration standards; (3) records that identify calibrated equipment and next calibration dates; (4) validation

procedures and validation results for processes not verifiable by inspections and tests; (5) procedures for keeping validated processes within specified limits; (6) records for monitoring and controlling validated processes; and (7) records of the results of revalidation where necessitated by process changes or deviations.

Sections 820.80(a) through (e) and 820.86, respectively, require the establishment, maintenance, and/or documentation of the following topics: (1) Procedures for incoming acceptance by inspection, test, or other verification; (2) procedures for ensuring that in process products meet specified requirements and the control of product until inspection and tests are completed; (3) procedures for, and records that show, incoming acceptance or rejection is conducted by inspections, tests or other verifications; (4) procedures for, and records that show, finished devices meet acceptance criteria and are not distributed until device master record (DMR) activities are completed; (5) records in the device history record (DHR) showing acceptance dates, results, and equipment used; and (6) the acceptance/rejection identification of products from receipt to installation and servicing.

Sections 820.90(a), (b)(1), and (b)(2) and 820.100 require, respectively, the establishment, maintenance and/or documentation of the following topics: (1) Procedures for identifying, recording, evaluating, and disposing of nonconforming product; (2) procedures for reviewing and recording concessions made for, and disposition of, nonconforming product; (3) procedures for reworking products, evaluating possible adverse rework effect and recording results in the DHR; (4) procedures and requirements for corrective and preventive actions, including analysis, investigation, identification and review of data, records, causes, and results; and (5) records for all corrective and preventive action activities.

Section 820.100(a)(1) through (a)(7) states that procedures and requirements shall be established and maintained for corrective/preventive actions, including the following: (1)

Analysis of data from process, work, quality, servicing records, investigation of nonconformance causes; (2) identification of corrections and their effectiveness; (3) recording of changes made; and (4) appropriate distribution and managerial review of corrective and preventive action information. Section 820.120 states that manufacturers shall establish/maintain procedures to control labeling storage/application; and examination/release for storage and use, and document those procedures.

Sections 820.120(b) and (d); 820.130; 820.140; 820.150(a) and (b); 820.160(a) and (b); and 820.170(a) and (b), respectively, require the establishment, maintenance, and/or documentation of the following topics: (1) Procedures for controlling and recording the storage, examination, release, and use of labeling; (2) the filing of labels/labeling used in the DHR; (3) procedures for controlling product storage areas and receipt/dispatch authorizations; (4) procedures controlling the release of products for distribution; (5) distribution records that identify consignee, product, date, and control numbers; and (6) instructions, inspection and test procedures that are made available, and the recording of results for devices requiring installation.

Sections 820.180(b) and (c); 820.181(a) through (e); 820.184(a) through (f); and 820.186 require, respectively, the maintenance of records that are: (1) Retained at prescribed site(s), made readily available and accessible to FDA, and retained for the device's life expectancy or for 2 years; (2) contained or referenced in a DMR consisting of device, process, quality assurance, packaging and labeling, and installation, maintenance, and servicing specifications and procedures; (3) contained in a DHR and demonstrate the manufacture of each unit, lot, or batch of product in conformance with DMR and regulatory requirements include manufacturing and

distribution dates, quantities, acceptance documents, labels and labeling, and control numbers; and (4) contained in a quality system record, consisting of references, documents, procedures, and activities not specific to particular devices.

Sections 820.198(a) through (c); and 820.200(a) through (d), respectively, require the establishment, maintenance, and/or documentation of the following topics: (1) Complaint files and procedures for receiving, reviewing, and evaluating complaints; (2) complaint investigation records identifying the device, complainant, and relationship of the device to the incident; (3) complaint records that are reasonably accessible to the manufacturing site or at prescribed sites; (4) procedures for performing and verifying that device servicing requirements are met and that service reports involving complaints are processed as complaints; and (5) service reports that record the device, service activity, and test and inspection data.

Section 820.250 requires the establishment and maintenance of procedures to identify valid statistical techniques necessary to verify process and product acceptability; and sampling plans, when used, which are written and based on valid statistical rationale; and procedures for ensuring adequate sampling methods.

The CGMP/QS regulation added design and purchasing controls, modified previous critical device requirements, revised previous validation and other requirements, and harmonized device CGMP requirements with QS specifications in the international standard "ISO 9001: Quality Systems Model for Quality Assurance in Design/Development, Production, Installation, and Servicing." The rule does not apply to manufacturers of components or parts of finished devices, or to manufacturers of human blood and blood components subject to 21 CFR part 606. With respect to devices classified in class I, design control requirements apply only to class I devices listed in § 820.30(a)(2) of the regulation. The rule imposes burden upon: (1) Finished

device manufacturer firms, which are subject to all recordkeeping requirements; (2) finished device contract manufacturers, specification developers; and (3) re-packer, re-labelers, and contract sterilizer firms, which are subject only to requirements applicable to their activities. In addition, remanufacturers of hospital single-use devices are now considered to have the same requirements as manufacturers in regard to the regulation.

The establishment, maintenance, and/or documentation of procedures, records, and data required by the regulation assists FDA in determining whether firms are in compliance with CGMP requirements, which are intended to ensure that devices meet their design, production, labeling, installation, and servicing specifications and, thus are safe, effective, and suitable for their intended purpose. In particular, compliance with CGMP design control requirements should decrease the number of design-related device failures that have resulted in deaths and serious injuries.

The CGMP/QS regulation applies to approximately 24,738 respondents. A query of the Agency's registration and listing database shows that approximately 13,294 domestic and 11,444 foreign establishments are respondents to this information collection¹. Respondents to this collection have no reporting activities, but must make required records available for review or copying during FDA inspection. Except for manufacturers, not every type of firm is subject to every CGMP/QS requirement. For example, all are subject to Quality Policy (§ 820.20(a)), Document Control (§ 820.40), and other requirements, whereas only manufacturers and specification developers are subject to subpart C, Design Controls. The Paperwork Reduction Act burden placed on the 24,738 establishments is an average burden.

_

¹ Based on fiscal year 2015 data.

In the <u>Federal Register</u> of September 8, 2016 (81 FR 62144), FDA published a 60-day notice requesting public comment on the proposed collection of information. No comments were received.

FDA estimates the burden of this collection of information as follows:

Table 1.--Estimated Annual Recordkeeping Burden¹

	-Estimated Annua	1 0	Burden		
Activity/ 21 CFR Section	No. of	No. of	Total	Average	Total
	Recordkeepers	Records per	Annual	Burden per	Hours
		Recordkeeper	Records	Recordkeeping	
Quality policy820.20(a)	24,738	1	24,738	7	173,166
Organization820.20(b)	24,738	1	24,738	4	98,952
Management review820.20(c)	24,738	1	24,738	6	148,428
Quality planning820.20(d)	24,738	1	24,738	10	247,380
Quality system procedures820.20(e)	24,738	1	24,738	10	247,380
Quality audit820.22	24,738	1	24,738	33	816,354
Training820.25(b)	24,738	1	24,738	13	321,594
Design procedures820.30(a)(1)	24,738	1	24,738	2	49,476
Design and development planning	24,738	1	24,738	6	148,428
820.30(b)					
Design input820.30(c)	24,738	1	24,738	2	49,476
Design output820.30(d)	24,738	1	24,738	2	49,476
Design review820.30(e)	24,738	1	24,738	23	568,974
Design verification820.30(f)	24,738	1	24,738	37	915,306
Design validation820.30(g)	24,738	1	24,738	37	915,306
Design transfer820.30(h)	24,738	1	24,738	3	74,214
Design changes820.30(i)	24,738	1	24,738	17	420,546
Design history file820.30(j)	24,738	1	24,738	3	74,214
Document controls820.40	24,738	1	24,738	9	222,642
Documentation approval and distribution	24,738	1	24,738	2	49,476
and document changes820.40(a) and					
(b)					
Purchasing controls820.50(a)	24,738	1	24,738	22	544,236
Purchasing data820.50(b)	24,738	1	24,738	6	148,428
Identification820.60	24,738	1	24,738	1	24,738
Traceability820.65	24,738	1	24,738	1	24,738
Production and process controls	24,738	1	24,738	2	49,476
820.70(a)					
Production and process changes and	24,738	1	24,738	2	49,476
environmental control820.70(b) and (c)					
Personnel820.70(d)	24,738	1	24,738	3	74,214
Contamination control820.70(e)	24,738	1	24,738	2	49,476
Equipment maintenance schedule,	24,738	1	24,738	1	24,738
inspection, and adjustment					
820.70(g)(1)-(g)(3)					
Manufacturing material820.70(h)	24,738	1	24,738	2	49,476
Automated processes820.70(i)	24,738	1	24,738	8	197,904
Control of inspection, measuring, and	24,738	1	24,738	5	123,690
test equipment820.72(a)					•
Calibration procedures, standards, and	24,738	1	24,738	1	24,738

Table 1.--Estimated Annual Recordkeeping Burden¹

Records Reco	Activity/ 21 CFR Section	No. of	No. of	Total	Average	Total
Process validation=820.75(a)		Recordkeepers	Records per	Annual	Burden per	Hours
Process validation=820.75(a) 24,738 1 24,738 3 74,214 Validated process parameters, monitoring, control methods, and data-selo.75(b) 24,738 1 24,738 1 24,738 1 24,738 Revalidation=820.75(c) 24,738 1 24,738 1 24,738 5 123,690 Acceptance activities=820.86 24,738 1 24,738 1 24,738 1 24,738 Control of nonconforming product-selo.90(a) 24,738 1 24,738 5 123,690 Nonconforming product 24,738 1 24,738 5 123,690 Nonconforming product 24,738 1 24,738 5 123,690 Procedures > 820.90(b) 1 (b)(c) 2			Recordkeeper	Records	Recordkeeping	
Validated process parameters, monitoring, control methods, and data-s20.75(b) Sevalidation-820.75(c) 24,738 1 24,	records820.72(b)(1)-(b)(2)					
monitoring, control methods, and data-820.75(b)	Process validation820.75(a)	24,738	1	24,738	3	74,214
Revalidation-820.75(b) Revalidation-820.75(c) 24,738 1 24,738 1 24,738 5 123,690	Validated process parameters,	24,738	1	24,738	1	24,738
Revalidation820.75(c) 24,738	monitoring, control methods, and data					
Acceptance activities820.80(a)-(e)	820.75(b)					
Acceptance status820.86	Revalidation820.75(c)	24,738	1	24,738	1	24,738
Control of nonconforming product-820.90(a)	Acceptance activities820.80(a)-(e)	24,738	1	24,738	5	123,690
Section Sect	Acceptance status820.86	24,738	1	24,738	1	24,738
Nonconforming product review/disposition procedures and rework procedures—820.90(b)(1)-(b)(2) Procedures—820.100(a)(1)-(a)(7) 24,738 1	Control of nonconforming product	24,738	1	24,738	5	123,690
review/disposition procedures and rework procedures -820.90(b)(1)-(b)(2) Procedures for corrective/preventive actions820.100(a)(1)-(a)(7) Corrective/preventive activities 820.100(b) Labeling procedures820.120(b) Labeling procedures820.120(b) Labeling documentation820.120(d) Labeling documentation820.120(d) Labeling documentation820.120(d) Labeling documentation820.130 Labeling documentation820.130 Labeling procedures -820.130 Labeling procedures -820.130 Labeling documentation820.130 Labeling documentation 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 2 49,476 Corrective/preventive activities 24,738 1 24,738 1 24,738 1 24,738 2 49,476 Corrective/preventive activities 24,738 1 24,738	820.90(a)					
rework procedures - 820.90(b)(1)-(b)(2) Procedures for corrective/preventive activities - 24,738	Nonconforming product	24,738	1	24,738	5	123,690
Procedures for corrective/preventive actions820.100(a)(1)-(a)(7) 24,738 1 24,738 1 24,738 1 24,738 1 24,738 20.100(b) 24,738 1 24,738						
actions820.100(a)(1)-(a)(7) 24,738 1 24,738 1 24,738 820.100(b) 24,738 1 24,738 1 24,738 Labeling procedures820.120(b) 24,738 1 24,738 1 24,738 Labeling documentation820.120(d) 24,738 1 24,738 1 24,738 Device packaging820.130 24,738 1 24,738 1 24,738 Handling820.140 24,738 1 24,738 6 148,428 Storage820.150(a) and (b) 24,738 1 24,738 6 148,428 Distribution procedures and records 24,738 1 24,738 1 24,738 820.160(a) and (b) 24,738 1 24,738 1 24,738 1 stallation820.170 24,738 1 24,738 2 49,476 (c) 24,738 1 24,738 1 24,738 2 49,476 (c) 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1						
Corrective/preventive activities	Procedures for corrective/preventive	24,738	1	24,738	12	296,856
Second Procedures and Procedures P	actions820.100(a)(1)-(a)(7)					
Labeling procedures820.120(b) 24,738 1 24,738 1 24,738 Labeling documentation820.120(d) 24,738 1 24,738 1 24,738 Device packaging820.130 24,738 1 24,738 1 24,738 Handling820.140 24,738 1 24,738 6 148,428 Storage820.150(a) and (b) 24,738 1 24,738 6 148,428 Distribution procedures and records 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 2 49,476 24,738 1 24,738 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 49,476 2 <t< td=""><td>Corrective/preventive activities</td><td>24,738</td><td>1</td><td>24,738</td><td>1</td><td>24,738</td></t<>	Corrective/preventive activities	24,738	1	24,738	1	24,738
Labeling documentation820.120(d) 24,738 1 24,738 1 24,738 Device packaging820.130 24,738 1 24,738 1 24,738 Handling820.140 24,738 1 24,738 6 148,428 Storage820.150(a) and (b) 24,738 1 24,738 6 148,428 Distribution procedures and records 820.160(a) and (b) 24,738 1 24,738 1 24,738 Record retention period820.170 24,738 1 24,738 2 49,476 Record retention period820.180(b) and (c) 24,738 1 24,738 2 49,476 Co 20 20 24,738 1 24,738 2 49,476 Co 20 20 24,738 1 24,738 1 24,738 2 49,476 Co 20 20 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 2						
Device packaging820.130 24,738 1 24,738 1 24,738 Handling820.140 24,738 1 24,738 6 148,428 Storage820.150(a) and (b) 24,738 1 24,738 6 148,428 Distribution procedures and records 24,738 1 24,738 1 24,738 820.160(a) and (b) 24,738 1 24,738 2 49,476 Record retention period820.170 24,738 1 24,738 2 49,476 (c) 24,738 1 24,738 2 49,476 (c) 24,738 1 24,738 2 49,476 (c) 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 5 123,690	Labeling procedures820.120(b)		1		1	24,738
Handling820.140 24,738 1 24,738 6 148,428 Storage820.150(a) and (b) 24,738 1 24,738 6 148,428 Distribution procedures and records820.160(a) and (b) 24,738 1 24,738 1 24,738 2 49,476 Record retention period820.170 24,738 1 24,738 2 49,476 (c) 24,738 1 24,738 2 49,476 (c) 24,738 1 24,738 2 49,476 (c) 24,738 1 24,738 1 24,738 2 49,476 (c) 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 1 24,738 5 123,690 Servicing procedures and reports820.20(a) and (d) 24,738 1 24,738 1 24,738 3 74,214 820.200(a) and (d)	Labeling documentation820.120(d)	24,738	1	24,738	1	24,738
Storage820.150(a) and (b) 24,738 1 24,738 6 148,428 Distribution procedures and records820.160(a) and (b) 24,738 1 24,738 1 24,738 Installation820.170 24,738 1 24,738 2 49,476 Record retention period820.180(b) and (c) 24,738 1 24,738 2 49,476 Device master record820.181 24,738 1 24,738 1 24,738 1 24,738 Device history record820.184 24,738 1 24,738 1 24,738 1 24,738 Quality system record820.186 24,738 1 24,738 1 24,738 1 24,738 Complaint files820.198(a), (c), and (g) 24,738 1 24,738 5 123,690 Servicing procedures and reports820.200(a) and (d) 24,738 1 24,738 3 74,214 Statistical techniques procedures and sampling plans820.250 24,738 1 24,738 1 24,738		24,738	1	24,738	1	24,738
Distribution procedures and records 820.160(a) and (b) Installation820.170 Record retention period820.180(b) and (c) Device master record820.181 Device history record820.184 Quality system record820.186 Complaint files820.198(a), (c), and (g) Servicing procedures and reports 820.200(a) and (d) Statistical techniques procedures and sampling plans820.250 1 24,738	Handling820.140	24,738	1	24,738	6	148,428
820.160(a) and (b) Installation820.170 24,738 1 24,738 2 49,476 Record retention period820.180(b) and (c) 24,738 1 24,738 2 49,476 Device master record820.181 24,738 1 24,738 1 24,738 Device history record820.184 24,738 1 24,738 1 24,738 Quality system record820.186 24,738 1 24,738 1 24,738 Complaint files820.198(a), (c), and (g) 24,738 1 24,738 5 123,690 Servicing procedures and reports 24,738 1 24,738 3 74,214 820.200(a) and (d) 24,738 1 24,738 1 24,738 Statistical techniques procedures and sampling plans820.250 1 24,738 1 24,738 1 24,738	Storage820.150(a) and (b)	24,738	1	24,738	6	148,428
Installation820.170 24,738 1 24,738 2 49,476 Record retention period820.180(b) and (c) 24,738 1 24,738 2 49,476 Device master record820.181 24,738 1 24,738 1 24,738 Device history record820.184 24,738 1 24,738 1 24,738 Quality system record820.186 24,738 1 24,738 1 24,738 Complaint files820.198(a), (c), and (g) 24,738 1 24,738 5 123,690 Servicing procedures and reports 24,738 1 24,738 3 74,214 820.200(a) and (d) 24,738 1 24,738 1 24,738 sampling plans820.250 1 24,738 1 24,738 1 24,738	Distribution procedures and records	24,738	1	24,738	1	24,738
Record retention period820.180(b) and (c) 24,738 1 24,738 2 49,476 Device master record820.181 24,738 1 24,738 1 24,738 Device history record820.184 24,738 1 24,738 1 24,738 Quality system record820.186 24,738 1 24,738 1 24,738 Complaint files820.198(a), (c), and (g) 24,738 1 24,738 5 123,690 Servicing procedures and reports 24,738 1 24,738 3 74,214 820.200(a) and (d) 24,738 1 24,738 1 24,738 sampling plans820.250 1 24,738 1 24,738 1 24,738	820.160(a) and (b)					
(c) Device master record820.181 24,738 1 24,738 1 24,738 Device history record820.184 24,738 1 24,738 1 24,738 Quality system record820.186 24,738 1 24,738 1 24,738 Complaint files820.198(a), (c), and (g) 24,738 1 24,738 5 123,690 Servicing procedures and reports 24,738 1 24,738 3 74,214 820.200(a) and (d) 3 24,738 1 24,738 1 24,738 Statistical techniques procedures and sampling plans820.250 24,738 1 24,738 1 24,738	Installation820.170	24,738	1	24,738	2	49,476
Device master record820.181 24,738 1 24,738 1 24,738 Device history record820.184 24,738 1 24,738 1 24,738 Quality system record820.186 24,738 1 24,738 1 24,738 Complaint files820.198(a), (c), and (g) 24,738 1 24,738 5 123,690 Servicing procedures and reports 24,738 1 24,738 3 74,214 820.200(a) and (d) 24,738 1 24,738 1 24,738 Statistical techniques procedures and sampling plans820.250 24,738 1 24,738 1 24,738	Record retention period820.180(b) and	24,738	1	24,738	2	49,476
Device history record820.184 24,738 1 24,738 1 24,738 Quality system record820.186 24,738 1 24,738 1 24,738 Complaint files820.198(a), (c), and (g) 24,738 1 24,738 5 123,690 Servicing procedures and reports 24,738 1 24,738 3 74,214 820.200(a) and (d) 24,738 1 24,738 1 24,738 Statistical techniques procedures and sampling plans820.250 24,738 1 24,738 1 24,738	(c)					
Quality system record820.186 24,738 1 24,738 1 24,738 Complaint files820.198(a), (c), and (g) 24,738 1 24,738 5 123,690 Servicing procedures and reports820.200(a) and (d) 24,738 1 24,738 3 74,214 Statistical techniques procedures and sampling plans820.250 24,738 1 24,738 1 24,738	Device master record820.181	24,738	1	24,738	1	24,738
Complaint files820.198(a), (c), and (g) 24,738 1 24,738 5 123,690 Servicing procedures and reports820.200(a) and (d) 24,738 1 24,738 3 74,214 Statistical techniques procedures and sampling plans820.250 24,738 1 24,738 1 24,738	Device history record820.184	24,738	1	24,738	1	24,738
Servicing procedures and reports 24,738 1 24,738 3 74,214 820.200(a) and (d) 1 24,738 1 24,738 1 24,738 Statistical techniques procedures and sampling plans820.250 1 24,738 1 24,738	Quality system record820.186	24,738	1	24,738	1	24,738
Servicing procedures and reports 24,738 1 24,738 3 74,214 820.200(a) and (d) Statistical techniques procedures and sampling plans820.250 1 24,738 1 24,738 1 24,738	Complaint files820.198(a), (c), and (g)	24,738	1	24,738	5	123,690
Statistical techniques procedures and sampling plans820.250 1 24,738 1 24,738		24,738	1	24,738	3	74,214
Statistical techniques procedures and sampling plans820.250 1 24,738 1 24,738	820.200(a) and (d)					
		24,738	1	24,738	1	24,738
Total 8,608,824	sampling plans820.250					
	Total					8,608,824

¹ There are no capital costs or operating and maintenance costs associated with this collection of information.

Dated: November 28, 2016.

Leslie Kux,

Associate Commissioner for Policy.

[FR Doc. 2016-29028 Filed: 12/2/2016 8:45 am; Publication Date: 12/5/2016]